

SURTEC, Inc. *Surface Technology*

1880 N MACARTHUR DR. TRACY, CA 95376 Phone (209) 820-3700 Fax (209) 820-3793

TEC-CIDE 128

HQ-714

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

Disinfectant Staphylocidal Bactericidal Mildewstatic Pseudomonacidal
Salmonellacidal Fungicidal *Virucidal

A multi-purpose, neutral pH, germicidal detergent and deodorant effective in hard water up to 200 ppm (calculated as CaCO₃) in the presence of a moderate amount of soil, 5% organic serum, tested according to the AOAC Use-dilution Test. Disinfects, cleans and deodorizes in one labor-saving step. For use in hospitals and nursing homes as a disinfectant. Use in schools, colleges, commercial and industrial institutions, office buildings, veterinary clinics, animal life science laboratories, zoos, pet shops, airports, kennels, hotels, motels and grooming establishments. Disinfects, cleans, and deodorizes the following hard, nonporous, inanimate surfaces: floors, walls, (non-medical) metal surfaces, (non-medical) stainless steel surfaces, glazed porcelain, plastic surfaces (such as polypropylene, polystyrene, etc.). Effective against the following pathogens:

*Pseudomonas aeruginosa*¹
*Staphylococcus aureus*¹
Salmonella enterica
Acinetobacter calcoaceticus
Bordetella bronchiseptica
Chlamydia psittaci
Enterobacter aerogenes
Enterobacter cloacae
*Escherichia coli*¹
Fusobacterium necrophorum
*Klebsiella pneumoniae*¹
Legionella pneumophila
Listeria monocytogenes
Pasteurella multocida
Proteus mirabilis
Proteus vulgaris
Salmonella enteritidis
Salmonella typhi

Serratia marcescens
Shigella flexneri
Shigella sonnei
*Staphylococcus epidermidis*²
*Streptococcus faecalis*¹
Streptococcus pyogenes
Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS384) (USA300)
Staphylococcus aureus - Community Associated Methicillin-Resistant [CA-MRSA] (NRS123) (USA400)
Enterococcus faecalis-Vancomycin Resistant (VRE)
Staphylococcus aureus -Methicillin resistant -(MRSA)
Staphylococcus aureus-Vancomycin Intermediate Resistant-(VISA)

(*Viruses:*)
*Hepatitis B Virus (HBV)
*Hepatitis C Virus (HCV)
*Herpes Simplex Virus Type 1
*Herpes Simplex Virus Type 2
*Human coronavirus
*HIV-1 (AIDS virus)
*Influenza A Virus / Hong Kong
*Adenovirus Type 7 - at 4 oz. per gallon
*Rotavirus [WA]
*Respiratory Syncytial Virus (RSV)
*Rubella Virus
*SARS Associated Coronavirus
*Vaccinia Virus

(*Animal Viruses:*)
*Avian Influenza (H5N1)
*Avian polyomavirus
*Canine distemper virus
*Feline leukemia virus
*Feline picornavirus
*Infectious bovine rhinotracheitis virus
*Infectious bronchitis (Avian IBV)
*Newcastle Disease virus
*Pseudorabies virus (PRV)
*Rabies virus
*Transmissible Gastroenteritis virus (TGE)

(*Fungi:*)
Aspergillus niger
Candida albicans
Trichophyton mentagrophytes
(Athlete's Foot Fungus)

¹ ATCC & antibiotic-resistant strain

² antibiotic-resistant strain only

SPECIFICATIONS:

EPA REGISTRATION NUMBER:..... 47371-130-40714
EPA ESTABLISHMENT NUMBER:.. 40714-CA-01
COLOR:..... Red
ODOR:..... Mild
pH:..... 7.2-8.2
HMIS RATING (Concentrate)..... Health =3 Flammability = 0
..... Physical Hazard = 0
HMIS RATING (1:128 Dilution) Health =1 Flammability = 0
..... Physical Hazard = 0
FLASH POINT:..... None (C.O.C. Method)
DILUTION USE (MEDICAL):..... 1:128
DILUTION USE (INSTITUTIONAL):. 1:128
DETERGENT TYPE: Nonionic/cationic
BIODEGRADABLE:..... Yes
SPECIFIC GRAVITY:..... 1.01
DENSITY:..... 8.4 pounds per gallon
SHELF LIFE: Minimum 1 year from date of sale
PACKAGE SIZES:..... 4 x1 gallon
..... 5 gallon Twin Pack (2 x 2.5 gallon bottles/box)

PRECAUTIONARY STATEMENTS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if inhaled, swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective gloves (rubber or chemical resistant). Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Refer to product label for **STORAGE AND DISPOSAL** instructions.

Rev 05/28/20

SURTEC warrants this product to be of consistent quality. SURTEC'S warranty is limited to the replacement of product proven defective. The user assumes all other risks and liabilities resulting from the use of this product. If you have any questions, please call SURTEC at (209) 820-3700.

TEC CIDE 128

ONE-STEP DISINFECTANT GERMICIDAL DETERGENT AND DEODORANT

Active Ingredients:

Didecyl dimethyl ammonium chloride.....	5.07%
n-Alkyl (C ₁₄ , 50%; C ₁₂ , 40%; C ₁₆ , 10%) dimethyl benzyl ammonium chloride.....	3.38%
<u>Inert Ingredients:.....</u>	<u>91.55%</u>

Total:..... 100.00%

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This product is not for use on medical device surfaces.

DISINFECTION / CLEANING / DEODORIZING DIRECTIONS: Remove heavy soil deposits from surface, then thoroughly wet surface with a use-solution of 1 oz. of the concentrate per gallon of water. [Use 4 oz. per gallon of water to kill Adenovirus Type 7]. The use-solution can be applied with a cloth, mop, sponge, or coarse spray or soaking. For sprayer applications, use a coarse spray device. Spray 6-8 inches from the surface, rub with a brush, cloth or sponge. Do not breathe spray. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

Food contact surfaces must be thoroughly rinsed with potable water. This product must not be used to clean the following food contact surfaces: utensils, glassware and dishes.

BACTERICIDAL STABILITY OF USE DILUTION: Prepare a fresh solution daily or more often if the solution becomes visibly dirty or diluted.

FUNGICIDAL DIRECTIONS:

For use in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities follow disinfection directions.

MILDEWSTATIC INSTRUCTIONS: Will effectively control the growth of mold and mildew, plus the odors caused by them when applied to hard, nonporous surfaces such as walls, floors and table tops. Apply use-solution of 1 ounce per gallon of water with a cloth, mop, sponge or coarse spray. Make sure to wet all surfaces completely. Let air dry. Repeat application weekly or when growth reappears.

***KILLS HIV-1 (AIDS VIRUS) AND HBV (HEPATITIS B VIRUS) AND HCV (HEPATITIS C VIRUS) ON PRE-CLEANED, HARD NON-POROUS, ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood / body fluids, and in which the surfaces / objects likely to be soiled with blood / body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS:

Personal Protection: Disposable protective gloves, gowns, face masks or eye coverings must be worn during all cleaning of blood / body fluids and during decontamination procedures.

Cleaning Procedures: Blood / body fluids must be thoroughly cleaned from surfaces / objects before application of disinfectant.

Contact Time: Mix 1 oz. of Tec-Cide 128 per gallon of water. HIV-1 is inactivated after a contact time of 4 minutes at 25°C (77°F). HBV and HCV are inactivated after a 10 minute contact time. Use appropriate as listed on label for all other viruses, bacteria and fungi claimed.

Disposal of Infectious Materials: Blood / body fluids must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

VETERINARY PRACTICE / ANIMAL CARE / ANIMAL LABORATORY / ZOOS / PET SHOP / KENNELS DISINFECTION DIRECTIONS:

For cleaning and disinfecting hard nonporous surfaces: equipment used for animal food or water, utensils, instruments, cages, kennels, stables, catteries, etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of 1 oz. of **TEC-CIDE 128** per gallon of water (*or equivalent dilution*) for a period of 10 minutes. Wipe or allow to air dry. Ventilate buildings and other closed spaces. Thoroughly scrub all treated surfaces that come in contact with food, including equipment used for feeding or watering, with soap or detergent and rinse with potable water before reuse. Do not house animals or employ equipment until treatment has been absorbed, set or dried.