

THE SURTEC SYSTEM

V.O.C. COMPLIANT ANTI-GRAFFITI COATINGS & GRAFFITI REMOVERS



BUY DIRECT FROM THE MANUFACTURER AND SAVE
All Cleaning Systems supported by Factory Trained Technical Representatives



Surtec Has the 'Solutions' for Your Maintenance Problems!

Corporate Offices & Manufacturing Facility
1880 N. MacArthur Drive, Tracy, CA 95376
Toll Free 800.877.6330

www.surtecsystem.com

SURTEC ANTI-GRAFFITI COATINGS

GRAFFITI BARRIER VOC

Environmentally Preferred, Low Gloss, Low VOC Polyurethane/Acrylic Protective Coating

GRAFFITI BARRIER VOC is a low gloss, high performance, two-component urethane/acrylic clear coating formulated for graffiti protection of concrete and masonry surfaces. GRAFFITI BARRIER VOC is suitable for application to most painted and unpainted concrete, stucco, artificial stone, cinder block and similar surfaces. In combination with GRAFFITI BUSTER VOC remover, GRAFFITI BARRIER VOC offers protection from spray paints, marker inks, crayons, etc.

Item #	Pack Size
AC6581GL	1 Gallon Kit
AC6584GL	4 Gallon Kit

BOND COAT

Bonding Agent for natural look appearance prior to the application of Graffiti Barrier VOC

With its superior adhesive properties, SURTEC BOND COAT is specifically designed to act as a bond coat between difficult to coat substrates and protective floor finishes and waterborne sealers. BOND COAT may also be applied to a surface prior to the application of Graffiti Barrier VOC to ensure superior adhesion and to maintain a natural look of the surface being protected with the Graffiti Barrier VOC. BOND COAT is compliant with National VOC limits for architectural coatings. BOND COAT exceeds the Coefficient of Friction Safety Standard ASTM Designation D -2047.

Item #	Pack Size
AC640001	1 Gallon
AC640004	4 Gallon Case
AC640005	5 Gallon Pail

SURPRO 100LV

High Solids, Low VOC Anti-Graffiti Barrier & Floor Seal for Concrete & Masonry

SURPRO 100LV forms a high solids coating that will preserve and protect any above grade concrete, masonry and stone while acting as a tough, durable graffiti and soil barrier. SURPRO 100LV will inhibit the passage of water or any other liquid, retard efflorescence, and will resist peeling, flaking, blistering or discoloring of properly prepared substrates. SURPRO 100LV is compatible with all stone and masonry surfaces. Before use, test in an inconspicuous area; if in doubt, consult SURTEC.

Item #	Pack Size
AC6951GL	1 Gallon Kit
AC6951QT	1 Quart Kit

SURTEC PAINT REMOVER

GRAFFITI BUSTER VOC Ink & Spray Paint Remover

GRAFFITI BUSTER VOC was developed specifically to remove all types of graffiti material from various surfaces. GRAFFITI BUSTER VOC is extremely effective in the removal of ink, spray paint, lipstick, felt marking pens, etc., from surfaces such as formica, vinyl, baked enamel painted surfaces, concrete, brick, marble, and granite. Be sure to test surface in an inconspicuous area to preclude surface damage. GRAFFITI BUSTER VOC will totally remove most graffiti materials from nonporous surfaces. Porous surfaces should be pre-coated with SURTEC's SURPRO 100LV or GRAFFITI BARRIER VOC anti-graffiti coating for the most efficient graffiti removal process. GRAFFITI BUSTER VOC meets CA Air Resources Board regulations at less than 30% VOC by weight.

Item #	Pack Size
AC290001	1 gallon
AC290004	4 gallon case
AC290005	5 gallon pail




BEFORE COATING

AFTER COATING WITH GRAFFITI BARRIER

Surtec Has the 'Solutions' for Your Maintenance Problems!

SURTEC GRAFFITI REMOVER



Corporate Offices & Manufacturing Facility
1880 N. MacArthur Drive, Tracy, CA 95376
Toll Free 800.877.6330

www.surtecsystem.com