

## SAFETY DATA SHEET

<b>FAB CLEAN</b>	<i>SDS Number: FC-130</i>	<i>Revision Date: 08/08/2019</i>
------------------	---------------------------	----------------------------------

### 1. PRODUCT AND COMPANY IDENTIFICATION:

**Product Name:** FAB CLEAN  
**Product Code:** FC-130  
**Product Use:** General Purpose Floor Cleaner Concentrate  
**Synonyms:** Waterborne Detergent Cleaner  
**Chemical Formula:** Mixture of substances listed below with nonhazardous additions  
**Restrictions:** Institutional, Commercial and Retail Floor Cleaning Use Only



**Manufacturer:** Surtec, Inc.  
 1880 N. MacArthur Dr  
 Tracy, CA 95376  
 209.820.3700  
 Toll Free 800.877.6330

**Emergency contact:** Chemtrec 800.424.9300  
 CCN No. 21541

### 2. HAZARD IDENTIFICATION:

**GHS CLASSIFICATION:**

<u>HEALTH</u>	<u>ENVIRONMENTAL</u>	<u>PHYSICAL</u>
<p><i>Eye Damage/Irritation: Category 2</i> <i>Carcinogenicity: Category 2</i></p>	<p><i>Acute Toxicity: None Known</i> <i>Chronic Toxicity: None Known</i></p>	<p><i>None</i></p>
	<p><b><u>Signal Word:</u></b> <i>Danger</i></p>	
<p><b><u>Hazard Statements</u></b>                      Causes eye irritation                      May cause minor skin irritation                      Suspected of causing cancer</p>		
<p><b><u>Precautionary Statements</u></b></p> <p>Wear protective gloves/protective clothing/eye protection/face protection                      Avoid breathing mist or spray.</p> <p>IF IN EYES: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation occurs or persists: Get medical attention.                      IF ON SKIN: Rinse skin with water for several minutes. If skin irritation occurs or persists: Get medical attention.                      IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or physician.                      IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>Store in a closed container.                      Dispose of contents/container in accordance with local regulation.</p>		

## SAFETY DATA SHEET

**FAB CLEAN**

**SDS Number: FC-130**

**Revision Date: 08/08/2019**

### 3. COMPOSITION/INFORMATION ON INGREDIENTS:

INGREDIENT	CAS NO.	PERCENT	HAZARDOUS
DODECYLBENZENE SULFONIC ACID, MONOETHANOLAMINE SALT	26836-07-7	4 - 5%	YES
COCONUT DIETHANOLAMIDE	68603-42-9	2 – 2.5%	YES
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3	0.5 – 1%	YES
DIETHANOLAMINE	111-42-2	0.1 – 0.2%	YES
Exact Percentages are being withheld as trade secret information.			

### 4. FIRST-AID MEASURES:

**Eye Contact:** Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation occurs or persists: get medical attention.

**Skin Contact:** Rinse skin with water for several minutes. If skin irritation occurs or persists: Get medical attention.

**Inhalation:** If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or physician.

### 5. FIRE-FIGHTING MEASURES:

**Fire Extinguishing media:** Use water spray dry chemical, carbon dioxide or regular foam. Move containers away from fire area if can be done without risk.

**Hazards during fire-fighting:**

Containers may rupture when exposed to extreme heat.

**Protective equipment for fire-fighting:**

Wear NFPA-approved self-contained breathing apparatus, helmet, hood, boots and gloves.

### 6. ACCIDENTAL RELEASE MEASURES:

**Personal precautions:**

Use recommended personal protective clothing and equipment. To prevent slipping, do not walk through spilled material.

**Environmental precautions:**

Follow all Federal, State and Local regulations when storing and disposing of substances. Do not allow material to run off of work area, and material should be absorbed, collected and disposed of in accordance with regulations. Keep product from entering storm drains. Consult local and federal guidelines for proper disposal of these materials.

**Cleanup:**

- For small amounts of released material: Mop or vacuum up then transfer to suitable container for disposal. - For large amounts of released material: Dike around spilled material to contain. Spilled material may be mopped or vacuumed up, then transferred to plastic containers for disposal.

## SAFETY DATA SHEET

<b>FAB CLEAN</b>	<b>SDS Number: FC-130</b>	<b>Revision Date: 08/08/2019</b>
------------------	---------------------------	----------------------------------

### 7. HANDLING and STORAGE:

**Handling:**

**General advice** - No specific measures are necessary provided product and recommended protective clothing/equipment are used correctly. Do not mix with other chemicals. This is a commercial product, not intended for home use. Keep out of reach of children.

**Storage:**

**General advice** - Protect against physical damage. Store in tightly closed containers in a cool, well ventilated area. Do not allow product to freeze.

**Shelf Life:**

12 months

### 8. EXPOSURE CONTROLS and PERSONAL PROTECTION:

***Advice on system design:***

Provide local exhaust ventilation to control vapors for published exposure limits.

***Personal protective equipment (HMIS rating 'B'):***

**Eye protection:** Wear safety glasses with side shields or safety goggles to prevent exposure or full face shield if splash hazard exists.

**Skin protection:** Chemical-resistant gloves. Wear appropriate protective clothing to prevent possible skin contact.

**Respiratory protection:** Not normally required. Avoid breathing mists or spray. Use proper NIOSH-OSHA respirator if ventilation is inadequate.

**General safety and hygiene measures:** Exercise stringent hygiene practices to minimize exposure. If contact occurs, wash any body part with soap and water immediately. Wash hands after use, and before eating, drinking or smoking.

***Other protective measures:***

Nearby running water on the job site is necessary, should an accident occur.

***Exposure Guidelines:***

None

### 9. PHYSICAL and CHEMICAL PROPERTIES:

Appearance:	Clear Yellow Liquid	Flash Point:	None
Odor:	Mild	Upper/Lower Flammability Limits:	No information available
pH value:	10.5+/- 0.2 (Concentrate) 9.3 +/- 0.2 (Use dilution 1:64)	Relative Density (water):	1.02
		Auto-Ignition Temperature:	No information available
		Decomposition temperature:	No information available
Specific gravity:	1.02 (H2O = 1)	Partition Coefficient	No information available
Solidification temperature:	No information available	Odor Threshold	No information available
Freezing/Melting point:	32 °F (0 °C)	Viscosity:	180 cps.
Boiling point:	212°F (100 °C)	Partition Coefficient	No information available
Vapor density:	No information available	Solubility in water:	100%
Vapor pressure:	No information available		
Evaporation Rate:	No information available		
Regulatory VOC:	<1.6 % by weight (concentrate) <0.1 % by weight (at routine use concentration – 1:32)		

## SAFETY DATA SHEET

**FAB CLEAN**

**SDS Number: FC-130**

**Revision Date: 08/08/2019**

### 10. STABILITY and REACTIVITY:

**Conditions to avoid:** Freezing. Excessive heat or flame.

**Substances to avoid:** Strong oxidizing agents, acids and bases.

**Hazardous reactions:** Product is chemically stable under normal conditions of use and storage.

**Decomposition or By-products:** In fire conditions: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>) and oxides of sulfur.

### 11. TOXICOLOGY INFORMATION:

**Acute Toxicity (Symptoms):**

**Oral:** Ingestion may cause nausea, vomiting, and diarrhea.

**Eye irritation:** Irritation, redness and tearing.

**Skin irritation:** May cause irritation and redness.

**Inhalation:** Irritation to the respiratory tract, headache and dizziness.

**Sensitization:** Skin: N/A. Respiratory: N/A

**Chronic Toxicity:**

**Carcinogenicity:** IARC classifies Coconut Diethylamide (68603-42-9) and Diethanolamine (111-42-2) as Category 2B – possibly carcinogenic to humans. No carcinogenic substances as defined by ACGIH, NTP and/or OSHA.

### 12. ECOLOGICAL INFORMATION:

**Biodegradation:**

Test method: Unspecified

Analysis method: Unspecified

Degree of elimination: Not Established

**Environmental toxicity:**

Acute and prolonged toxicity to fish: Not Established

Toxicity to microorganisms: Not Established

Other ecotoxicological advice: Not Established

### 13. DISPOSAL CONSIDERATIONS:

**Waste disposal of substance:** Dispose of in accordance with all Federal, State and Local regulations when storing and disposing of substances. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA (EPA regulations for hazardous waste).

**Container disposal:** Dispose of in a licensed facility in accordance with local regulations.

**RCRA:**

Unspecified.

### 14. TRANSPORTATION INFORMATION:

**DOT:**

**Proper Shipping Name:** COMPOUND CLEANING LIQUID (NON-HAZARDOUS)

## SAFETY DATA SHEET

<b>FAB CLEAN</b>	<b>SDS Number: FC-130</b>	<b>Revision Date: 08/08/2019</b>
------------------	---------------------------	----------------------------------

### 15. REGULATORY INFORMATION:

**Federal Regulations:**

**Registration status:**

TSCA, US:

All components are listed or exempt.

**SARA hazard category (EPCRA 311/312):**

Acute health hazard

Chronic health hazard

**SARA TITLE III, SECTION 313:**

CAS Number: \_\_\_\_\_ Chemical Name: \_\_\_\_\_

None

**State Regulations:**

Chemicals known to the State of California to cause cancer, birth defects or other reproductive harm

CAS Number: \_\_\_\_\_ Chemical Name: \_\_\_\_\_

68603-42-9

Coconut oil diethanolamine condensate

111-42-2

Diethanolamine

***CA Cleaning Product Right To Know Act of 2017: Ingredient Disclosure***

INGREDIENT	CAS NUMBER	FUNCTION
WATER	7732-18-5	DILUENT
DODECYLBENZENE SULFONIC ACID, MONOETHANOLAMINE SALT	26836-07-7	SOAP CONSTITUENT
COCONUT DIETHANOLAMIDE	68603-42-9	DETERGENT
MONOETHANOLAMINE		SOAP CONSTITUENT
TETRAPOTASSIUM PYROPHOSPHATE		ALKALINE BUILDER
ALCOHOLS, C9-11, ETHOXYLATED	68439-46-3	DETERGENT
DIETHANOLAMINE	111-42-2	NONFUNCTIONAL CONSTITUENT
ACID YELLOW 73	518-47-8	COLORANT
ACID YELLOW 17	6359-98-4	COLORANT
<b>FRAGRANCE CONSTITUENTS:</b>		
DIETHYL PHTHALATE	84-66-2	
VANILLIN	121-33-5	
METHYL ANTHRANILATE	134-20-3	
ORANGE OIL CA	8008-57-9	
ISO AMYL BUTYRATE	106-27-4	
ETHYL BUTYRATE	105-54-4	
BENZYL ACETATE	140-11-4	
IRISONE PURE	127-41-3	
ETHYL BENZOATE	93-89-0	
AMYL ACETATE	628-63-7	
ACETOPHENONE	98-86-2	
ETHYL ACETATE	141-78-6	
AMYL CINNAMIC ALDEHYDE	122-40-7	
CITRONELLOL	106-22-9	
GERANIOL	106-24-1	
HYDROXYCITRONELLAL	107-75-5	

## SAFETY DATA SHEET

**FAB CLEAN**

SDS Number: FC-130

Revision Date: 08/08/2019

### 16. OTHER INFORMATION:

**NFPA Rating:**


Health: 2      Fire: 0      Reactivity: 0      Special Hazard: none

**HMIS III Rating:**

Health: 2      Flammability: 0      Physical Hazard: 0  
Personal Protection: B (safety glasses with side shields and chemical-resistant gloves)

Both NFPA and HMIS III rating systems use a numbering scale that ranges from 0 to 4 to indicate the degree of hazard. A value of zero means the substance possesses no hazard while a value of four indicates high hazard.

NFPA Rating



HMIS Rating

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	B

**Prepared by:** Surtec, Inc., 08/08/19    **Revision No.:** Original

**Contact Information:**

Surtec, Inc.  
209-820 3700; Toll Free 800-877-6330 (8 a.m. to 5 p.m., M-F, PST)  
[www.surtecsystem.com](http://www.surtecsystem.com)

**Notice:** The information provided is accurate to the best of our knowledge and is offered in good faith. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in specific context of the intended use and determine whether they are appropriate.

**Warranty:** This is a proprietary SURTEC product, warranted to be of uniform quality within our stringent manufacturing tolerances. As no control is exercised over product use, no warranty is made as to the effects of such use (neither expressed nor implied). Obligation of the seller and manufacturer under this warranty shall be limited to a refund of the purchase price of that portion of the material proven to be defective. The user assumes all other risk and liability resulting from uses of this product. Contact SURTEC with any questions regarding this policy.